



REPLACEMENT SHEET - A METHOD FOR OBTAINING
 CONSENSUS CLASSIFICATIONS AND IDENTIFICATIONS BY
 COMBINING DATA FROM DIFFERENT EXPERIMENTS

Vauterin et al.

Appl. No.: 10/758,249

Atty Docket: DECLE62.001A

Figure 3-A

	Experiment 1
Genotype 1	
Genotype 2	

$$\text{Similarity coefficient} = \frac{2}{3} = 66\%$$

	Experiment 1
Genotype 1	
Genotype 3	

$$\text{Similarity coefficient} = \frac{3}{4} = 75\%$$

	Experiment 1
Genotype 2	
Genotype 3	

$$\text{Similarity coefficient} = \frac{2}{4} = 50\%$$

Similarity matrix

	Gen 1	Gen 2	Gen 3
Gen 1	100		
Gen 2	66	100	
Gen 3	75	50	100

REPLACEMENT SHEET - A METHOD FOR OBTAINING
 CONSENSUS CLASSIFICATIONS AND IDENTIFICATIONS BY
 COMBINING DATA FROM DIFFERENT EXPERIMENTS

Vauterin et al.

Appl. No.: 10/758,249

Atty Docket: DECLE62.001A

Figure 3-B




Figure 3-B (2) shows two tables, 'Experiment 1' and 'Experiment 2', each with three columns: Gen 1, Gen 2, and Gen 3. The data is as follows:

	Experiment 1			Experiment 2		
	Gen 1	Gen 2	Gen 3	Gen 1	Gen 2	Gen 3
Gen 1	100			100		
Gen 2	66	100		88	100	
Gen 3	75	50	100	90	80	100

Figure 3-B (3) shows a table with four columns: Gen1, Gen2, Gen3, and a calculation column. The data is as follows:

	Gen1	Gen2	Gen3	
Gen1	100			
Gen2	$\frac{(3 \times 66) + (9 \times 88)}{3 + 9} = 83\%$	100		
Gen3	$\frac{(4 \times 75) + (10 \times 90)}{4 + 10} = 86\%$	$\frac{(4 \times 50) + (10 \times 80)}{4 + 10} = 71\%$	100	

REPLACEMENT SHEET - A METHOD FOR OBTAINING
CONSENSUS CLASSIFICATIONS AND IDENTIFICATIONS BY
COMBINING DATA FROM DIFFERENT EXPERIMENTS

Vauterin et al.

Appl. No.: 10/758,249 Atty Docket: DECLE62.001A

FIGURE 4

